

REQUEST FOR PROPOSALS

The Clinton County Commissioners are accepting sealed bids for the complete installation of stainless steel showers at the Correctional Facility located at 58 Pine Mountain Road McElhattan, PA 17748. Bidders should present their bid with a complete cost for replacement including Shipping and storage, dumpster rental if needed, demolition, preparation and installation of showers.

The specifications listed below are approximate sizes and should be measured by contractor to verify accuracy.

Project # 1

16 gauge Type 304 stainless steel. Drain holes will need to be placed to customer's specifications. Shower walls should have 1 inch thick foiled foam sheets adhered to inside of walls to provide sound suppression while maintaining constant temperature ambiance. Stainless Steel shower doors will need to be measured and fitted as needed.

All showers with the exception of (1) custom size shower need Acorn Shower Controls 420B Series.

4 quantity- 38" x 97" x 84" include Stainless Steel Top Hat and Stainless Steel Door

2 quantity - 36" x 36" x 84" includes Stainless Steel Top Hat and Stainless Steel Door - will need vent relocated and area above shower enclosed with mildew proof materials

2 quantity - 36" x 96" x 83" include Stainless Steel Top Hat and Stainless Steel Door

1 quantity - custom size (see attachment) include Stainless Steel Top Hat, Stainless Steel Door and Acorn Fixture 1741ADAF.A.

1 quantity - 36" x 96" x 83" include Stainless Steel Top Hat and Stainless Steel Door

Complete installation to include any necessary plumbing updates once old showers are removed.

Project # 2

This project includes project # 1 and:

16 gauge Type 304 stainless steel. Drain holes will need to be placed to customer's specifications. Shower walls should have 1 inch thick foiled foam sheets adhered to inside of walls to provide sound suppression while maintaining constant temperature ambiance. Stainless Steel shower doors will need to be measured and fitted as needed. All showers will need Acorn Shower Controls 420B Series.

2 quantity - 36" x 56" x 90"

1 quantity - 51" x 84" x 84"

1 quantity - 32" x 79" x 84" include Stainless Steel Top Hat and Stainless Steel Door

1 quantity - 35" x 81" x 85"

Complete installation to include any necessary plumbing updates once old showers are removed.

Include warranty information and 10% bid bond in the proposal.

This project requires prevailing wages.

Note: Background check clearance will be required for all workers entering the facility.

All bidders are required to set up a time to review the areas. Please contact Tammy Russell at the facility to set up a time. 570-769-7680 Ext 3606.

Bid proposals shall be submitted in a sealed envelope clearly labeled "Stainless Steel Showers". Bids should be addressed to: Jann Meyers, Chief Clerk, County of Clinton, 2 Piper Way, Suite 300, Lock Haven, PA 17745. The deadline for receipt of proposals is Wednesday, May 15, 2019 by 12:00 PM.

All bids will be opened on Thursday, May 16, 2019 at 10:00 AM at the regularly scheduled meeting of the Board of Commissioners at the Clinton County Piper Building, 2nd Floor Meeting Room, 2 Piper Way, Lock Haven, PA 17745. The Commissioners reserve the right to accept or reject any or all bids and to waive any irregularity in the bids and in the bidding process.